

Oxalic Acid Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/24/2015

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

Product form : Substance Substance name : Oxalic Acid Formula : $H_2C_2O_4$

Molecular weight : 90.03 g/mol CAS No. : 144-62-7 Product code : LW-H2C2O4

Synonyms : Dicarboxylic Acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Laboratory chemicals, Synthesis of substances

1.3. Emergency telephone number

Emergency number : 1.800.424.9300 (USA)

+1.703.527.3887 (INT)

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Dermal (Category 4), H312

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram :

(1)

Signal word : Danger

Hazard statement(s)

H302 + H312 : Harmful if swallowed or in contact with skin

H318 : Causes serious eye damage.

Precautionary statement(s)

P264 : Wash skin thoroughly after handling.

P270 : Do not eat, drink or smoke when using this product.

P280 : Wear eye protection/ face protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 : Wear protective gloves/ protective clothing.

P301 + P312 + P330 : IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell. Rinse mouth.

P302 + P352 + P312 : IF ON SKIN: Wash with plenty of soap and water. Call a POISON

CENTER or doctor/physician if you feel unwell.

P305 + P351 + P338 + P310 : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER or doctor/ physician.

P363 : Wash contaminated clothing before reuse.

P501 : Dispose of contents/ container to an approved waste disposal

plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS

none

SECTION 3: Composition/information on ingredients

3.1. Substances

Synonyms : $H_2C_2O_4$

Formula : Dicarboxylic Acid

Molecular Weight : 90.03 g/mol CAS-No. : 144-62-7

Hazardous components

Component	Classification	Concentration
Oxalic Acid	Acute Tox. 4; Eye Dam. 1;	<= 100 %
	H302 + H312, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: Description of first aid measures

4.1. Description of first aid measures

General advice : Consult a physician. Show this safety data sheet to the doctor in

attendance. Move out of dangerous area.

First-aid measures after inhalation : If breathed in, move person into fresh air. If not breathing, give

artificial respiration. Consult a physician.

First-aid measures after skin contact : Wash off with soap and plenty of water. Take victim immediately

to hospital. Consult a physician.

First-aid measures after eye contact : Flush eyes with water as a precaution.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion

: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Carbon oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. More Information

No data available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

Storage class (TRGS 510): Non Combustible Solids

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Oxalic acid	144-62-7	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
	Remarks	Upper Respiratory Tract irritation		
		Eye irritation		
		Skin irritation		
		Adopted values or notations enclosed are those for which changes		
		are proposed in the NIC		
		See Notice of Intended Changes (NIC)		
		TWA	1.000000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
		Upper Respiratory Tract irritation Eye irritation		
		Skin irritation		
		STEL	2 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Upper Respiratory Tract irritation Eye irritation Skin irritation Adopted values or notations enclosed are those for which changes are proposed in the NIC		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

See Notice of Intended Changes (NIC)		
STEL	2.000000	USA. ACGIH Threshold Limit Values
	mg/m3	(TLV)
Upper Respiratory Tract irritation		
Eye irritation		
Skin irritation		
TWA	1.000000	USA. Occupational Exposure Limits
	mg/m3	(OSHA) - Table Z-1 Limits for Air
		Contaminants
TWA	1.000000	USA. NIOSH Recommended
	mg/m3	Exposure Limits
ST	2.000000	USA. NIOSH Recommended
	mg/m3	Exposure Limits

8.2. Exposure controls

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3. Personal protective equipment

Eye protection

: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection

: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for

any specific use scenario.

Body protection : Complete suit protecting against chemicals, The type of

protective equipment must be selected according to the concentration and amount of the dangerous substance at the

specific workplace.

Respiratory protection : Where risk assessment shows air-purifying respirators are

appropriate use a full-face particle respirator type

N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators

and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls : Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance : Form: crystalline

Color: white

Odor : odorless

Odor Threshold : No data available

pH : 1.3 at 9 g/l

Melting point/freezing point : Melting point/range: 189.5 °C (373.1 °F) - dec.

Initial boiling point and boiling range : 157 °C (315 °F) at 1,013 hPa (760 mmHg)

Flash point : No data available
Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper/lower flammability or : No data available

explosive limits

Vapor pressure : < 0.01 hPa (< 0.01 mmHg) at 20 °C (68 °F)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor density : No data available

Relative density : 1.9 g/cm3 at 25 °C (77 °F)

Water solubility : 108 g/l at 25 °C (77 °F) - soluble

Partition coefficient: n-octanol/water : log Pow: -1.699 at 23 °C (73 °F)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other safety information

Surface tension : 70.1 mN/m at 0.014 at 25 °C (77 °F)

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Avoid moisture.

10.5. Incompatible materials

Metals, Alkali metals

10.6. Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD50 Oral - Rat - female - 1,080 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - 20,000 mg/kg

No data available

Skin corrosion/irritation : Skin - Rabbit

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/irritation : Eyes - Rabbit

Result: Risk of serious damage to eyes. - 24 h

(OECD Test Guideline 405)

Respiratory or skin sensitization : - Mouse

Result: Does not cause skin sensitisation.

Germ cell mutagenicity : S. typhimurium

Result: negative

Carcinogenicity

Human carcinogen. May cause cancer by inhalation.

IARC: : 1 - Group 1: Carcinogenic to humans (Nickel sulfate hexahydrate)

ACGIH : No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

NTP: : No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

OSHA: : No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Reproductive toxicity : Possible risk of congenital malformation in the fetus.

Reproductive toxicity - Mouse - Oral

Effects on Fertility: Other measures of fertility Effects on Embryo

or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity (single

exposure)

No data available

Specific target organ toxicity

(repeated exposure)

: Inhalation - Causes damage to organs through prolonged or

repeated exposure.

Aspiration hazard : No data available

Additional Information : Repeated dose toxicity - Lowest observed adverse effect level -

150 mg/kg

RTECS: RO2450000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1. Toxicity

invertebrates

Toxicity to fish : static test LC50 - Leuciscus idus melanotus - 160 mg/l - 48 h

Toxicity to daphnia and other aquatic

: Immobilization EC50 - Daphnia magna (Water flea) - 162.2 mg/l -

48 h (OECD Test Guideline 202)

12.2. Persistence and degradability

: No data available

Biodegradability

: aerobic - Exposure time 20 d

Result: 89 % - Readily biodegradable

12.3. Bioaccumulative potential

12.5. Results of PBT and vPvB

: No data available

12.4. Mobility in soil

: No data available

assessment

assessment not required/not conducted

: PBT/vPvB assessment not available as chemical safety

12.6. Other adverse effects

: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal

company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped

with an afterburner and scrubber.

Contaminated Packaging : Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Oxalic acid	CAS-No.	Revision Date
	144-62-7	1993-04-24

Pennsylvania Right To Know Components

Oxalic acid	CAS-No.	Revision Date
	144-62-7	1993-04-24

New Jersey Right To Know Components

Oxalic acid	CAS-No.	Revision Date
	144-62-7	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage H302 : Harmful if swallowed.

H302 + H312 : Harmful if swallowed or in contact with skin

H312 : Harmful in contact with skin.H318 : Causes serious eye damage.

HMIS Rating

Health Hazard : 2
Chronic Health Hazard : *
Flammability : 0
Physical Hazard : 0

NFPA Rating

Health hazard : 2

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fire Hazard : 0 Reactivity Hazard 0

Further Information

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Issuer assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his/her application.